



TISS Application Programming Interface (API) specification for participants

ISO20022 MX MESSAGE

Version 06

JULY 2025

Contents

INTRODUCTION.....	3
Overview of TISS and ISO20022 Migration.....	3
The Bank Engagement.....	4
Intended audience.....	4
TISS PARTICIPANT API.....	5
Server Details.....	5
HTTP methods.....	5
Endpoint description.....	5
HTTP request header fields.....	8
HTTP response status and error codes.....	33
HTTP response status and error codes for rejected message.....	43
MX sample messages (pacs.008/pacs.009/admi.004).....	49

INTRODUCTION

Overview of TISS and ISO20022 Migration

The Bank of Tanzania is in the final stages of upgrading the Tanzania Interbank Settlement System (TISS) as part of a strategic initiative to modernize the national payment infrastructure. This upgrade aligns with global migration to the ISO 20022 standard, which promotes richer, structured, and more granular data for financial messaging.

TISS is a core component of Tanzania's financial system, providing real-time gross settlement (RTGS) services for high-value and time-critical payments. The enhanced TISS will introduce new features and capabilities, including improved resilience, broader accessibility, enhanced interoperability, enriched data handling, and strengthened end-to-end risk and compliance management—aligned with ISO 20022 principles.

In support of this modernization, the Bank of Tanzania is introducing a standardized Application Programming Interface (API) specification. This will enable participating institutions to integrate seamlessly with TISS using automated, real-time communication channels. The API is designed to facilitate the exchange of ISO 20022-compliant messages, thereby improving data quality, automation, and interoperability across the financial ecosystem.

The Bank Engagement

The Bank engaged in the TISS modernization project in March 2022 where several activities have been accomplished. Currently the Bank is in final stages of implementation whereby the live date operation for MX is set in August 2025.

Intended audience

This specification document provides guidance to TISS participants for their back-office integration with TISS through API using a virtual private network (VPN).

TISS PARTICIPANT API

This is the official description for TISS participant API. This API allows participant to exchange messages through a REST API interface.

Server Details

TISS Test Server details are described as shown in **Table 1** below:

API URL	<i>https://{IP address}:{port}/{base path}/{end point}</i>
IP address	196.46.101.90
Port number	8443
Base path	rtgs
End point	<i>/interface/participants/{definedPath}</i>

Table 1: Server details

HTTP methods

The following methods are supported by the API:

GET – The HTTP GET method is used by the TISS participant to request the current business date, current timetable event, account activities and pending transactions.

POST - The HTTP POST method is used by the TISS participant to post a message to TISS. The method returns confirmation that will indicate if the message was ACCEPTED or REJECTED.

Endpoint description

The specification API for TISS participant has five end points as shown in **Table 2** below.

S/N	End point	Description
1	/interface/participants/ businessDate	Get the current Business Date. The end point returns the current Business Date for the given currency.
2	/interface/participants/ currentTimetableEvent	Get the Current Timetable Event. The end point returns the Current Timetable Event for the given currency.
3	/interface/participants/message	Post a message to TISS. The end point returns a confirmation that will indicate if the message was ACCEPTED or REJECTED
4	/interface/participants/ pendingTransactions	Get the list of PENDING transactions. Returns the Current pending transactions for given currency.

5	/interface/participants/ accountsActivity	Get the account activity. Returns the Current account activity for given currency.

Table 2: End point

HTTP request header fields

The HTTP request header fields that will be implemented by commercial banks in the API are described in **Table 3**.

End point:	/interface/participants/businessDate		Method	GET
Key	Value	Type	Required	Description
currency	TZS	String	NO	“currency” parameter specifies the Currency. The default value : TZS
End point:	/interface/participants/ currentTimetableEvent		Method	GET
Key	Value	Type	Required	Description
currency	TZS	String	NO	”currency” parameter specifies the Currency. The default value : TZS
End point:	/interface/participants/message		Method	POST

Key	Value	Type	Required	Description
content-type	text/xml and application/xml	String	YES	content-type parameter specifies the message content type: • application/xml
payload_type	XML	String	YES	payload_type parameter specifies the message payload type: • XML
sender	ABCDTZTX	String	YES	sender parameter specifies the sending participant BIC. Eg: (ABCDTZTX).
consumer	TANZTZTA	String	YES	consumer parameter specifies the Central Bank BIC (TANZTZTA).
Authorization	p_Ln1vhvWalugXvcMxxbN FVnesqZa-4D	String	YES	Authorization parameter is used as a security token in all the communication between the Participant and TISS. For each Participant a unique authorization token will be generated and sent by TISS at each Start of Day (SOD) Event for TZS currency.

msgid	TRX20250520A1	String	YES	msgid parameter specifies the unique reference of the message (message id). Every request will be processed only once per msgid. The msgid will be valid within the current business date.
Request body	<DataPDU xmlns="urn:swift:saa:xsd:saa.2.0"> <Revision>2.0.11</Revision> <Header> <Message> <SenderReference>TANZ202404029003600014</SenderReference> <MessageIdentifier>pacs.008.001.08</MessageIdentifier> <Format>MX</Format>	XML	YES	Request body parameter specifies transaction message in XML format. Eg: Pacs.008 or Pacs.009

	t> <Sender> <DN>o=tanztzta,o= swift</DN> <FullName> <X1>TANZTZT AXXX</X1> </FullName> </Sender> <Receiver> <DN>o=abcdtztz,o =swift</DN> <FullName> <X1>ABCDTZT XXXX</X1> </FullName> </Receiver> <InterfaceInfo> <UserReference>T			
--	---	--	--	--

	ANZ202404029003600014</ UserReference> </InterfaceInfo> <NetworkInfo> <Priority>Normal</ Priority> <Service>tanz.rtgs! p</Service> <Network>SWIFT Net</Network> <SWIFTNetNetwor kInfo> <RequestType>p acs.008.001.08</RequestTyp e> <RequestSubtype >swift.iap.02</RequestSubty pe> </SWIFTNetNetwo			
--	---	--	--	--

	<pre> rkInfo> </NetworkInfo> </Message> </Header> <Body> <AppHdr xmlns="urn:iso:std:iso:20022 :tech:xsd:head.001.001.02"> <Fr> <FIId> <FinInstnId> <BICFI>ABC DTZTX</BICFI> </FinInstnId> </FIId> </Fr> <To> <FIId> <FinInstnId> </pre>			
--	--	--	--	--

	<BICFI>ABC DTZTX</BICFI> </FinInstnId> </FIId> </To> <BizMsgIdr>ABCD2 02504089000390005</BizMs gIdr> <MsgDefIdr>pacs.00 8.001.08</MsgDefIdr> <BizSvc>swift.iap.02 </BizSvc> <CreDt>2025-04- 08T14:38:29+03:00</CreDt> <Sgntr> <Signature xmlns="http://www.w3.org/2 000/09/xmldsig#"			
	Id="RTGS">			

	<SignedInfo> <Canonicalizat ionMethod Algorithm="http://www.w3.o rg/TR/2001/REC-xml-c14n- 20010315" /> <SignatureMet hod Algorithm="http://www.w3.o rg/2001/04/xmldsig- more#rsa-sha256" /> <Reference URI="#urn:iso:std:iso:20022: tech:xsd:head.001.001.02"> <Transform s> <Transfor m Algorithm="http://www.w3.o			
--	---	--	--	--

	<pre> rg/2000/09/xmldsig#envelope d-signature" /> <Transform m Algorithm="http://www.w3.o rg/2006/12/xml-c14n11" /> </Transform s> <DigestMet hod Algorithm="http://www.w3.o rg/2001/04/xmlenc#sha256" / > <DigestVal ue>HQVga6YMfHkfXFuLFg 4qaiIBF2v2iLDdBE8Rt/CjA Pg=</DigestValue> </Reference> <Reference </pre>			
--	---	--	--	--

	URI="#urn:iso:std:iso:20022:tech:xsd:pacs.008.001.08"> <Transforms> <Transform m Algorithm="http://www.w3.org/2000/09/xmldsig#enveloped-signature" /> <Transform m Algorithm="http://www.w3.org/2006/12/xml-c14n11" /> </Transforms> <DigestMethod Algorithm="http://www.w3.org/2001/04/xmldsig#sha256" /			
--	--	--	--	--

	> <DigestValue>bAFw5M3BMMlCjIgau WWooprmlJukbWkoWT5jip B6mIII=</DigestValue> </Reference> </SignedInfo> <SignatureValue >dXzSHvCObiE7vpEIdo3m EY3mKH0lDNxAfs+DeAe3c P6ZtryXc7fwmV4EF/ 9GNGDfwS/ p4Wc7EGw8n0QvN7OpivA o1ySl2jQ6o89ldjUEe4C02Xf y58sS0846tPHZktLyHh7nny 6EkV8C+SuSTB+3hshlia54B HuluTXoiAqXw2IBtX0CAB aynrdYkuHNti81IoCYMeTS wPzKEgQHIwN0KfLKxRcR			
--	--	--	--	--

	OBR/ 7wkTjF+FloUYiVDUoXwoz exlx0e2vwDCiaSuCtqXeLjA xAghfgMdw0uFxF1MM7SD 5muAssYZS2YGQ2FL6AIK 8zBuDF7nwYifwbYhmwJ/ gfFT5mifBAA46Q==</ SignatureValue> <KeyInfo> <X509Data> <X509Subje ctName>CN=RTGS,OU=RT GS,O=BANK OF TANZANIA,L=DAR ES SALAAM,C=TZ</X509Subj ectName> <X509Certi ficate>MIIE8TCCAtmgAwI BAgITOAAAACeXE6r0/GI			
--	---	--	--	--

VbgAAAAAAJzANBgkqhki G9w0BAQsFADAVMRMw EQYDVQQDEwpCT1RDQT ItRlRTMB4XDTIxMDgwNj E0MDIzN1oXDTIyMDgwNj E0MTIzN1owXjELMAkGA 1UEBhMCVFoxFjAUBgNV BAcTDURBUiBFUyBTQUx BQU0xGTAXBgNVBAoTE EJBTksgT0YgVEFOWkFOS UExDTALBgNVBA5TBfJU R1MxDTALBgNVBAMTBf JUR1MwggEiMA0GCSqGSI b3DQEBAQUAA4IBDwAw ggEKAoIBAQCjnoCJIC9jgx 6zSgStQ1pQNmHW6a5P5qn G+nt3U2EwD1mzzcXnpvVc oT/ iPgIrJF6W6BUA2G8fUAFdo			
--	--	--	--

	/ gsqu5keCYzQU0mgJV297V 8jHqmHrnaHn1KYsFo6iLLtj NdMWIO3wFMzQJ0puF02s W36pKpm9YjI/ Y9q0A0qaCrIsCdSn8apan5D F5FkG+J1/22Kl+80EucfTOX jUeCBOqEYHNrpLz3+sOSp CHQ0cbjvt1LHOidrDIMU2 WjUtAVVidoEl0qxqXO2nL kYuvZ7QfY0NmAwjLQ8lSd twFLPjHfu4rYTemKFGC1/ FBNHBZkEj5gLbiTZ9pz18L hgdy0wwDb744LAgMBAA GjgfAwge0wHQYDVR0OB BYEFBnrwVvJtGttceHxaLt Hmz3yWjsMB8GA1UdIwQ YMBaAFCgf7aj/ gI1TIJt1TD6AQYUNBuhO			
--	--	--	--	--

MEEGA1UdHwQ6MDgwNq A0oDKGMGZpbGU6Ly8vL 1NWVy1QS0ktQVBQMDM vQ2VydEVucm9sbC9CT1R DQTItRlRTLmNybDBaBggr BgEFBQcBAQROMEwwSg YIKwYBBQUHMAKGPMZ pbGU6Ly8vL1NWVy1QS0k tQVBQMDMvQ2VydEVuc m9sbC9TVlctUEtJLUFQUD AzX0JPVENBMi1GVFMuY 3J0MAwGA1UdEwEB/ wQCMAAwDQYJKoZIhvcN AQELBQADggIBAGnsyMn hq/ 0Ygx9tVjIvqjQUg+0cVS/ LkpwXdwHb2R/ LO5XaAkTKP/ IqpZRfradVHesfPIhgcyZN3			
---	--	--	--

RYUZhwllyoe5lXhIUC2UFQ CrjHCBzODg9I6iEYxh0J4u PCa50ceUalJ8Hf3L4NCS9W EGly5v3WP3oKkuwpjEmTz P9QngX7nONhANo0O9mN 78uzxoMGTktSemyE1ppBd3 uLgx8QhFYXV8dhmbzK8ki 4lJ4cMP2nerkVxwKHZmPM M5QuQuQJW2H72pcVyo6h kfT4qw6Th9R11BkMox/ J1NVwJbaqeZcp36Nl8qzDC a8xBnHSexGhJr2RYU5fBK FDJD+pwKyho3dpjOynyEsi LD69vac9HbuZzd3s7I8hxjY TkEfcX80Q3qT4GMJrcQtIS 3QHA+ +wgDyXY8MDS+y5ra9znFI 3Fe/ q0rD6mprVQlY8LH76sjW2s			
---	--	--	--

	bPhZcZT6JTXG2aDsm6ZG HyyK7EKRXKtWrxIvE9YD fuVleDN/ gocTq7eiNmDAvQjzn+eKJL 6nmJ5B6V53ck2clAjUV7Kh nXDlTpstFygMpwWxeZOB ZqlWvApHJiHOByuqjgxUF PyDaLXCzECDjo/ IPDUOFvOz3GWEyc8clUS EdQKe3khlhSY6RIErKJIDY JfpaT4PHw6UgWYP+D2fW seX8/K1jm/ 7ZPsbJnjD5lWAXDLNU</ X509Certificate> </X509Data> </KeyInfo> </Signature> </Sgntr> </AppHdr>			
--	---	--	--	--

	<Document xmlns="urn:iso:std:iso:20022 :tech:xsd:pacs.008.001.08"> <FIToFICstmrCdtTrf > <GrpHdr> <MsgId>ABCD2 02504089000390005</MsgId > <CreDtTm>2025 -04-08T14:38:22+03:00</Cre DtTm> <NbOfTx>1</Nb OfTx> <StlmInf> <StlmMtd>C LRG</StlmMtd> <ClrSys> <Cd>TIS</			
--	---	--	--	--

	Cd> </ClrSys> </SttlmInf> </GrpHdr> <CdtTrfTxInf> <PmtId> <InstrId>ABC DR92025040800390005</Ins trId> <EndToEndId >ABCDR9202504080039000 5</EndToEndId> <TxId>ABCD R92025040800390005</TxId > <UETR>5e33 4a26-7bbc-42a3-a738- b3ea1ea9c7d7</UETR> </PmtId>			
--	--	--	--	--

	<PmtTpInf> <InstrPrty>HI GH</InstrPrty> <SvcLvl> <Prtry>TTC :103</Prtry> </SvcLvl> <LclInstrm> <Prtry>RT GSFIToFICustomerCredit</P rtry> </LclInstrm> <CtgyPurp> <Cd>OTHR </Cd> </CtgyPurp> </PmtTpInf> <IntrBkSttlmAm t			
--	--	--	--	--

	Ccy="TZS">34.00</IntrBkSt tlmAmt> <IntrBkSttlmDt> 2024-04-02</IntrBkSttlmDt> <ChrgBr>SHAR </ChrgBr> <InstgAgt> <FinInstnId> <BICFI>AB CDTZTX</BICFI> </FinInstnId> </InstgAgt> <InstdAgt> <FinInstnId> <BICFI>AB CDTZTX</BICFI> </FinInstnId> </InstdAgt> <Dbtr>			
--	--	--	--	--

	<Nm>ABCDT ZTX</Nm> </Dbtr> <DbtrAcct> <Id> <Othr> <Id>3434 343</Id> </Othr> </Id> </DbtrAcct> <DbtrAgt> <FinInstnId> <BICFI>AB CDTZTX</BICFI> </FinInstnId> </DbtrAgt> <CdtrAgt> <FinInstnId>			
--	---	--	--	--

	<BICFI>AB CDTZTX</BICFI> </FinInstnId> </CdtrAgt> <Cdtr> <Nm>ABCDT ZTX</Nm> </Cdtr> <CdtrAcct> <Id> <Othr> <Id>5454 545</Id> </Othr> </Id> </CdtrAcct> <Purp> <Cd>CASH</ Cd>			
--	--	--	--	--

	</Purp> <RmtInf> <Ustrd>additional info</Ustrd> </RmtInf> </CdtTrfTxInf> </FIToFICstmrCdtTrf> </Document> </Body> </DataPDU>			
End point:	/interface/participants/ pendingTransactions		Method	GET
Key	Value	Type	Required	Description
sender	ABCDTZTX	String	YES	sender parameter specifies the sending participant BIC. Eg:: (ABCDTZTX).
currency	TZS	String	NO	“currency” parameter specifies the Currency. The default value : TZS
Authorization	p_Ln1vhvWalugXvcMxxbN	String	YES	Authorization parameter is used as a

	FVnesqZa-4D			security token in all the communication between the Participant and TISS. For each Participant a unique authorization token will be generated and sent by TISS at each Start of Day (SOD) Event for TZS currency.
End point:	/interface/participants/ accountsActivity		Method	GET
Key	Value	Type	Required	Description
sender	ABCDTZTX	String	YES	sender parameter specifies the sending participant BIC. Eg: (ABCDTZTX).
currency	TZS	String	NO	“currency” parameter specifies the Currency. The default value : TZS
Authorization	p_Ln1vhvWalugXvcMxxbN FVnesqZa-4D	String	YES	Authorization parameter is used as a security token in all the communication between the Participant and TISS. For each Participant a unique authorization token will be generated and sent by TISS

				at each Start of Day (SOD) Event for TZS currency.

Table 3: HTTP request header fields

HTTP response status and error codes

HTTP response status codes that the API supports are described in **Table 4** below.

End point		/interface/participants/businessDate	
Status Code	Response	Description	Response Body
200	OK	Business Date in format YYYYMMDD	{ "TZS": "20250521" }

End point		/interface/participants/currentTimetableEvent	
Status Code	Response	Description	Response Body
200	OK	Current Timetable Event in format {"Currency_Code":"Event:H H:MM"}	{ "TZS": "SOD:00:10" }
End point		/interface/participants/message	
Status Code	Response	Description	Response Body
200	OK	Accepted Message	<Document> <header> <sender>ABCDTZTX</sender> <receiver>TISS</receiver>

			</header> <responseDetails> <OrgMsgId>TRX20201215A1</OrgMsgId> <RespStatus>ACCEPTED</RespStatus> </responseDetails> </Document>
400	Bad request error	Rejected Message	<Document> <header> <sender>ABCDTZTX</sender> <receiver>TISS</receiver> </header> <responseDetails> <OrgMsgId>TRX20201215A1</OrgMsgId> <RespStatus>REJECTED</RespStatus> <RespReason>Bad request error</RespReason> </responseDetails> </Document>
401	Unauthorized	Rejected Message	<Document> <header>

			<sender>ABCDTZTX</sender> <receiver>TISS</receiver> </header> <responseDetails> <OrgMsgId>TRX20201215A1</OrgMsgId> <RespStatus>REJECTED</RespStatus> <RespReason>Received unauthorized REST GET message from: ABCDTZTX with authorization: null </RespReason> </responseDetails> </Document> <i>*** Other example of response body regarding rejected message due to unauthorized are shown in Table 4b</i>
415	Unsupported media type	Rejected Message	<Document> <header> <sender>ABCDTZTX</sender> <receiver>TISS</receiver> </header>

			<responseDetails> <OrgMsgId>TRX20201215A1</OrgMsgId> <RespStatus>REJECTED</RespStatus> <RespReason>Unsupported media type</RespReason> </responseDetails> </Document>
End point		/interface/participants/pendingTransactions	
Status Code	Response	Description	Response Body
200	OK	Accepted Request	{ "testpending": { "type": "SCCT", "reference": "testpending", "debtor": "ABCDTZTX", "creditor": "WXYZTZTX",

			<pre> "currency": "TZS", "amount": "20000000000,00" } } </pre>
401	Unauthorized	Rejected Request	<pre> { "Error": "Received unauthorized REST GET message from: ABCDTZTX with authorization: null" } </pre>
End point		/interface/participants/accountsActivity	
Status Code	Response	Description	Response Body
200	OK	Accepted Request	<pre> "ACH Reserve": { "accountType": "RESERVE_ACCOUNT", "accountNumber": "ACH Reserve", "openingBalance": "0,00", "completeTransactionsBalance": "0,00", </pre>

			<pre> "availableBalance": "0,00", "currency": "TZS" }, "0000000543": { "accountType": "ILF_ACCOUNT", "accountNumber": "0000000543", "openingBalance": "0,00", "completeTransactionsBalance": "0,00", "availableBalance": "0,00", "currency": "TZS" }, "COLLATERAL_ACCOUNT": { "accountType": "COLLATERAL_ACCOUNT", "accountNumber": "COLLATERAL_ACCOUNT", "openingBalance": "0,00", "completeTransactionsBalance": "0,00", "availableBalance": "0,00", "currency": "TZS" }, </pre>
--	--	--	--

			<pre> "RESERVE_REQUIREMENT_ACCOUNT": { "accountType": "RESERVE_REQUIREMENT_ACCOUNT", "accountNumber": "RESERVE_REQUIREMENT_ACCOUNT", "openingBalance": "731471255,87", "completeTransactionsBalance": "0,00", "availableBalance": "731471255,87", "currency": "TZS" }, "Usable RESERVE_REQUIREMENT_ACCOUNT": { "accountType": "RESERVE_REQUIREMENT_ACCOUNT", "accountNumber": "Usable RESERVE_REQUIREMENT_ACCOUNT", "openingBalance": "146294251,17", "completeTransactionsBalance": "0,00", "availableBalance": "146294251,17", </pre>
--	--	--	---

			<pre> "currency": "TZS" }, "9922182101": { "accountType": "SETTLEMENT_ACCOUNT", "accountNumber": "9922182101", "openingBalance": "19212562809,36", "completeTransactionsBalance": "0,00", "availableBalance": "19358857060,53", "currency": "TZS" }, "GSS Reserve": { "accountType": "RESERVE_ACCOUNT", "accountNumber": "GSS Reserve", "openingBalance": "0,00", "completeTransactionsBalance": "0,00", "availableBalance": "0,00", "currency": "TZS" }, "DVP Transfer Reserve": { </pre>
--	--	--	--

			"accountType": "RESERVE_ACCOUNT", "accountNumber": "DVP Transfer Reserve", "openingBalance": "0,00", "completeTransactionsBalance": "0,00", "availableBalance": "0,00", "currency": "TZS" }, "settlement+reserves": { "accountType": "total", "accountNumber": "settlement+reserves", "openingBalance": "19358857060,53", "completeTransactionsBalance": "0,00", "availableBalance": "19358857060,53", "currency": "TZS" }, "settlement+ilf": { "accountType": "total", "accountNumber": "settlement+ilf", "openingBalance": "1921256280936",
--	--	--	--

			<pre> "completeTransactionsBalance": "0,00", "availableBalance": "1921256280936", "currency": "TZS" } } </pre>
401	Unauthorized	Rejected Request	<pre> { "Error": "Received unauthorized REST GET message from: ABCDTZTX with authorization: null" } </pre>

Table 4: HTTP response status and error codes

HTTP response status and error codes for rejected message

HTTP response status codes that the API supports when there is rejected message are described in **Table 4b** below.

End point		/interface/participants/message	
Status Code	Response	Description	Response Body
401	Unauthorized	Rejected Message	<Document> <header> <sender>ABCDTZTX</sender> <receiver>TISS</receiver> </header> <responseDetails> <OrgMsgId>TRX20201215A1</OrgMsgId> <RespStatus>REJECTED</RespStatus> <RespReason>Received unauthorized REST GET message from: ABCDTZTX with authorization: null</RespReason> </responseDetails> </Document>

	Unknown content type	Rejected Message	<Document> <header> <sender>ABCDTZTX</sender> <receiver>TISS</receiver> </header> <responseDetails> <OrgMsgId>TRX20201215A1</OrgMsgId> <RespStatus>REJECTED</RespStatus> <RespReason>Unknown content type for message TRX20201215A1</RespReason> </responseDetails> </Document>
	Unknown payload type	Rejected Message	<Document> <header> <sender>ABCDTZTX</sender> <receiver>TISS</receiver> </header> <responseDetails>

			<OrgMsgId>TRX20201215A1</OrgMsgId> <RespStatus>REJECTED</RespStatus> <RespReason>Unknown payload type of message TRX20201215A1</RespReason> </responseDetails> </Document>
	Unmatched media type and payload type	Rejected Message	<Document> <header> <sender>ABCDTZTX</sender> <receiver>TISS</receiver> </header> <responseDetails> <OrgMsgId>TRX20201215A1</OrgMsgId> <RespStatus>REJECTED</RespStatus> <RespReason>Media type and payload type of message TRX20201215A1 not matched</RespReason> </responseDetails>

			</Document>
	Duplicate reference/mes sage	Rejected Message	<Document> <header> <sender>ABCDTZTX</sender> <receiver>TISS</receiver> </header> <responseDetails> <OrgMsgId>TRX20201215A1</OrgMsgId> <RespStatus>REJECTED</RespStatus> <RespReason>Received duplicate REST PUT message: TRX20201215A1</RespReason> </responseDetails> </Document>

Table 4b: HTTP response status and error codes for rejected message from TISS.

MX sample messages (pacs.008/pacs.009/admi.004)

MX sample messages (pacs.008/pacs.009/admi.004) are described in **Table 5** below.

MX MESSAGE	SAMPLE MESSAGE
pacs.008	<pre><DataPDU xmlns="urn:swift:saa:xsd:saa.2.0"> <Revision>2.0.11</Revision> <Header> <Message> <SenderReference>TANZ202404029003600014</SenderReference> <MessageIdentifier>pacs.008.001.08</MessageIdentifier> <Format>MX</Format> <Sender> <DN>o=tanztzta,o=swift</DN> <FullName> <X1>TANZTZTAXXX</X1></pre>

	<pre> </FullName> </Sender> <Receiver> <DN>o=abcdnztx,o=swift</DN> <FullName> <X1>ABCDTZTXXXX</X1> </FullName> </Receiver> <InterfaceInfo> <UserReference>TANZ202404029003600014</UserReference> </InterfaceInfo> <NetworkInfo> <Priority>Normal</Priority> <Service>tanz.rtgs!p</Service> <Network>SWIFTNet</Network> <SWIFTNetNetworkInfo> <RequestType>pac.008.001.08</RequestType> <RequestSubtype>swift.iap.02</RequestSubtype> </SWIFTNetNetworkInfo> </pre>
--	--

```
</NetworkInfo>
</Message>
</Header>
<Body>
  <AppHdr xmlns="urn:iso:std:iso:20022:tech:xsd:head.001.001.02">
    <Fr>
      <FIId>
        <FinInstnId>
          <BICFI>ABCDTZTX</BICFI>
        </FinInstnId>
      </FIId>
    </Fr>
    <To>
      <FIId>
        <FinInstnId>
          <BICFI>ABCDTZTX</BICFI>
        </FinInstnId>
      </FIId>
    </To>
```

	<pre> <BizMsgIdr>ABCD202504089000390005</BizMsgIdr> <MsgDefIdr>pacs.008.001.08</MsgDefIdr> <BizSvc>swift.iap.02</BizSvc> <CreDt>2025-04-08T14:38:29+03:00</CreDt> <Sgntr> <Signature xmlns="http://www.w3.org/2000/09/xmldsig#" Id="RTGS"> <SignedInfo> <CanonicalizationMethod Algorithm="http://www.w3.org/TR/2001/REC-xml- c14n-20010315" /> <SignatureMethod Algorithm="http://www.w3.org/2001/04/xmldsig-more#rsa- sha256" /> <Reference URI="#urn:iso:std:iso:20022:tech:xsd:head.001.001.02"> <Transforms> <Transform Algorithm="http://www.w3.org/2000/09/xmldsig#enveloped- signature" /> <Transform Algorithm="http://www.w3.org/2006/12/xml-c14n11" /> </Transforms> <DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" /> <DigestValue>HQVga6YMfHkfXFuLFg4qaiIBF2v2iLDdBE8Rt/CjAPg=</ </pre>
--	--

	<pre> DigestValue> </Reference> <Reference URI="#urn:iso:std:iso:20022:tech:xsd:pacs.008.001.08"> <Transforms> <Transform Algorithm="http://www.w3.org/2000/09/xmlsig#enveloped- signature" /> <Transform Algorithm="http://www.w3.org/2006/12/xml-c14n11" /> </Transforms> <DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" /> <DigestValue>bAFw5M3BMMlCjIgauWWooprmJukbWkoWT5jipB6mIII= </DigestValue> </Reference> </SignedInfo> <SignatureValue>dXzSHvCObiE7vpEIdo3mEY3mKH0lDNxAfs+DeAe3cP6Ztry Xc7fwmV4EF/9GNGDfwS/ p4Wc7EGw8n0QvN7OpivAo1ySl2jQ6o89ldjUEe4C02Xfy58sS0846tPHZktLyHh7nny6EkV8 C+SuSTB+3hshlia54BHuluTXoiAqXw2IBtX0CABaynrdYkuHNti81IoCYMeTSwPzKEgQHI wN0KfLKxRcROBR/ 7wkTjF+FloUYiVDUoXwozexlx0e2vwDCiaSuCtqXeLjAxAgfhgMdw0uFxF1MM7SD5muA </pre>
--	--

	ssYZS2YGQ2FL6AIK8zBuDF7nwYifwbYhmwJ/gfFT5mifBAA46Q==</SignatureValue> <KeyInfo> <X509Data> <X509SubjectName>CN=RTGS,OU=RTGS,O=BANK OF TANZANIA,L=DAR ES SALAAM,C=TZ</X509SubjectName> <X509Certificate>MIIE8TCCAAtmgAwIBAgITOAAAACeXE6r0/GIVbgAA AAAAJzANBgkqhkiG9w0BAQsFADAVMRMwEQYDVQQDEwpCT1RDQTIItRlRTMB4X DTIxMDgwNjE0MDIzN1oXDTIyMDgwNjE0MTIzN1owXjELMAkGA1UEBhMCVFoxFjA UBgNVBAcTDURBUiBFUyBTQUxBQU0xGTAXBgNVBAoTEEJBTksgT0YgVEFOWkF OSUExDTALBgNVBAstBFJUR1MxDTALBgNVBAMTBFBUR1MwggEiMA0GCSqGSIb3 DQEBAQUAA4IBDwAwggEKAoIBAQCChnoCJIC9jgx6zSgStQ1pQNmHW6a5P5qnG+nt3U 2EwD1mzzcXnpvVcoT/iPgIrJF6W6BUA2G8fUAFdo/ gsqu5keCYzQU0mgJV297V8jHqmHrnaHn1KYsFo6iLLtjNdMWIO3wFMzQJ0puF02sW36p Kpm9YjI/ Y9q0A0qaCrIsCdSn8apan5DF5FkG+J1/22Kl+80EucfTOXjUeCBOqEYHNrpLz3+sOSpCHQ 0cbjvt1LHOidrDIMU2WjUtAVVidoEl0qxqXO2nLkYuvZ7QfY0NmAwjLQ8lSdtwFLPjHfu 4rYTemKFGC1/ FBNHBZkEj5gLbiTZ9pz18Lhgdy0wwDb744LAgMBAAGjgAwge0wHQYDVR0OBBYEF BnrwVvJtGcttceHxaLtHmz3yWjsMB8GA1UdIwQYMBaAFCgf7aj/
--	--

	gI1TIJt1TD6AQYUNBuhOMEEGA1UdHwQ6MDgwNqA0oDKGMGZpbGU6Ly8vL1NWV y1QS0ktQVBQMDMvQ2VydEVucm9sbC9CT1RDQTIIRlRTLmNybDBaBggrBgEFBQcBA QROMEwwSgYIKwYBBQUHMAKGPMZpbGU6Ly8vL1NWVYy1QS0ktQVBQMDMvQ2V ydEVucm9sbC9TVlctUEtJLUFQUdAzX0JPVENBMi1GVFMuY3J0MAwGA1UdEwEB/ wQCMAAwDQYJKoZIhvcNAQELBQADggIBAGnsyMnhq/0Ygx9tVjIvqjQUg+0cVS/ LkpwXdwHb2R/LO5XaAkTKP/ IqpZRfradVHesfPlhgcyZN3RYUZhwlyoe5lXhIUC2UFQCrjHCBzODg9I6iEYxh0J4uPCa50c eUaIj8Hf3L4NCS9WEGlY5v3WP3oKkuwpjEmTzP9QngX7nONhANo0O9mN78uzxoMGTK tSemyE1ppBd3uLgx8QhFYXV8dhmbzK8ki4lJ4cMP2nerkVxwKHZmPMM5QuQuQJW2H7 2pcVyo6hkfT4qw6Th9R11BkMox/ J1NVwJbaqeZcp36Nl8qzDCa8xBnHSexGhJr2RYU5fBKFDJD+pwKyho3dpjOynyEsiLD69v ac9HbuZzd3s7I8hxjYTkEfcX80Q3qT4GMJrcQtIS3QHA++wgDyXY8MDS+y5ra9znFI3Fe/ q0rD6mprVQlY8LH76sjW2sbPhZcZT6JTXG2aDsm6ZGHyyK7EKRXKtWrxIvE9YDfuVle DN/ gocTq7eiNmDAvQjzn+eKJL6nmJ5B6V53ck2clAjUV7KhnxDItpstFxmPwWxeZOBZqlW vApHJiHOBByuqjgxUFpyDaLXCzECDjo/ IPDUOFvOz3GWEyc8clUSEdQKe3khIhSY6RIErKJIDYJfpaT4PHw6UgWYP+D2fWseX8/ K1jm/7ZPsbJnjD5lWAXDLNU</X509Certificate> </X509Data>
--	---

```
        </KeyInfo>
        </Signature>
    </Sgntr>
</AppHdr>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pacs.008.001.08">
    <FIToFICstmrCdtTrf>
        <GrpHdr>
            <MsgId>ABCD202504089000390005</MsgId>
            <CreDtTm>2025-04-08T14:38:22+03:00</CreDtTm>
            <NbOfTx>1</NbOfTx>
            <StlmInf>
                <StlmMtd>CLRG</StlmMtd>
                <ClrSys>
                    <Cd>TIS</Cd>
                </ClrSys>
            </StlmInf>
        </GrpHdr>
        <CdtTrfTxInf>
            <PmtId>
```

	<InstrId>ABCDR92025040800390005</InstrId> <EndToEndId>ABCDR92025040800390005</EndToEndId> <TxId>ABCDR92025040800390005</TxId> <UETR>5e334a26-7bbc-42a3-a738-b3ea1ea9c7d7</UETR> </PmtId> <PmtTpInf> <InstrPrty>HIGH</InstrPrty> <SvcLvl> <Prtry>TTC:103</Prtry> </SvcLvl> <LclInstrm> <Prtry>RTGSFIToFICustomerCredit</Prtry> </LclInstrm> <CtgyPurp> <Cd>OTHR</Cd> </CtgyPurp> </PmtTpInf> <IntrBkSttlmAmt Ccy="TZS">34.00</IntrBkSttlmAmt> <IntrBkSttlmDt>2024-04-02</IntrBkSttlmDt>
--	--

	<pre><ChrgBr>SHAR</ChrgBr> <InstgAgt> <FinInstnId> <BICFI>ABCDTZTX</BICFI> </FinInstnId> </InstgAgt> <InstdAgt> <FinInstnId> <BICFI>ABCDTZTX</BICFI> </FinInstnId> </InstdAgt> <Dbtr> <Nm>ABCDTZTX</Nm> </Dbtr> <DbtrAcct> <Id> <Othr> <Id>3434343</Id> </Othr></pre>
--	---

	</Id> </DbtrAcct> <DbtrAgt> <FinInstnId> <BICFI>ABCDTZTX</BICFI> </FinInstnId> </DbtrAgt> <CdtrAgt> <FinInstnId> <BICFI>ABCDTZTX</BICFI> </FinInstnId> </CdtrAgt> <Cdtr> <Nm>ABCDTZTX</Nm> </Cdtr> <CdtrAcct> <Id> <Othr> <Id>5454545</Id>
--	---

	<pre> </Othr> </Id> </CdtrAcct> <Purp> <Cd>CASH</Cd> </Purp> <RmtInf> <Ustrd>additional info</Ustrd> </RmtInf> </CdtTrfTxInf> </FIToFICstmrCdtTrf> </Document> </Body> </DataPDU> </pre>
pac.009	<pre> <DataPDU xmlns="urn:swift:saa:xsd:saa.2.0"> <Revision>2.0.11</Revision> <Header> </pre>

	<pre><Message> <SenderReference>TANZ202404029003600018</SenderReference> <MessageIdentifier>pacs.009.001.08</MessageIdentifier> <Format>MX</Format> <Sender> <DN>o=tanztzta,o=swift</DN> <FullName> <X1>TANZTZTAXXX</X1> </FullName> </Sender> <Receiver> <DN>o=abcdtztz,o=swift</DN> <FullName> <X1>ABCDTZTXXXX</X1> </FullName> </Receiver> <InterfaceInfo> <UserReference>TANZ202404029003600018</UserReference> </InterfaceInfo></pre>
--	--

	<pre> <NetworkInfo> <Priority>Normal</Priority> <Service>tanz.rtgs!p</Service> <Network>SWIFTNet</Network> <SWIFTNetNetworkInfo> <RequestType>pac.009.001.08</RequestType> <RequestSubtype>swift.iap.01</RequestSubtype> </SWIFTNetNetworkInfo> </NetworkInfo> </Message> </Header> <Body> <AppHdr xmlns="urn:iso:std:iso:20022:tech:xsd:head.001.001.02"> <Fr> <FIId> <FinInstnId> <BICFI>ABCDTZTX</BICFI> </FinInstnId> </FIId> </pre>
--	--

	<pre> </Fr> <To> <FIId> <FinInstnId> <BICFI>ABCDTZTX</BICFI> </FinInstnId> </FIId> </To> <BizMsgIdr>ABCD202504089000390006</BizMsgIdr> <MsgDefIdr>pacs.009.001.08</MsgDefIdr> <BizSvc>swift.iap.01</BizSvc> <CreDt>2025-04-08T14:44:30+03:00</CreDt> <Sgntr> <Signature xmlns="http://www.w3.org/2000/09/xmldsig#" Id="RTGS"> <SignedInfo> <CanonicalizationMethod Algorithm="http://www.w3.org/TR/2001/REC-xml- c14n-20010315" /> <SignatureMethod Algorithm="http://www.w3.org/2001/04/xmldsig-more#rsa- sha256" /> </pre>
--	--

	<pre> <Reference URI="#urn:iso:std:iso:20022:tech:xsd:head.001.001.02"> <Transforms> <Transform Algorithm="http://www.w3.org/2000/09/xmlsig#enveloped- signature" /> <Transform Algorithm="http://www.w3.org/2006/12/xml-c14n11" /> </Transforms> <DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" /> <DigestValue>ZYaZegbtsxfxLvRKFn96g/AL7Ma1IpNI2L1VbNtLNS4=</ DigestValue> </Reference> <Reference URI="#urn:iso:std:iso:20022:tech:xsd:pacs.009.001.08"> <Transforms> <Transform Algorithm="http://www.w3.org/2000/09/xmlsig#enveloped- signature" /> <Transform Algorithm="http://www.w3.org/2006/12/xml-c14n11" /> </Transforms> <DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" /> <DigestValue>KyOt+MepMegg7S4NqSbAqyGpBPonojZ7RIIdmCzw09rM= </DigestValue> </pre>
--	---

	</Reference> </SignedInfo> <SignatureValue>Q0gc6l0nAd5V0+j05MrblJx0OFyS0I0twIgcUwVWlbShajIXbh RiKOzgP17sHohrmMlfHbJqomg5G7POxzBLA3LX+r4Hp9kywI/ Yk2DUQMXvJSHPCSJ1lxQuydwatohdkb6QWObe/ aLXNfYQvrrBO6DWjE1z9OSAzurH43sp0yA3SJNWqVisjBtzB+MlNKX09fypo41E01Zgdy 0JZg570nXi07RGPRSDrMZYz/GOigM2oGI8/ G1xKIWoVEdkT1YeGXl5kJ9kybZdzLek+9bcFjS63BUT9vrVjNDvLVnUJ8Hkxuh0B3n2qxx gbOGbCr8wOcBBogdrDV73CSwkM++LSA==</SignatureValue> <KeyInfo> <X509Data> <X509SubjectName>CN=RTGS,OU=RTGS,O=BANK OF TANZANIA,L=DAR ES SALAAM,C=TZ</X509SubjectName> <X509Certificate>MIIE8TCCAAtmgAwIBAgITOAAAACeXE6r0/GIVbgAA AAAAJzANBgkqhkiG9w0BAQsFADAVMRMwEQYDVQQDEwpCT1RDQTIItRlRTMB4X DTIxMDgwNjE0MDIzN1oXDTIyMDgwNjE0MTIzN1owXjELMAkGA1UEBhMCVFoxFjA UBgNVBAcTDURBUiBFUyBTQUxBQU0xGTAXBgNVBAoTEEJBTksgT0YgVEFOWkF OSUEXDTALBgNVBAStBTFJUR1MxDTALBgNVBAMTBTFJUR1MwggEiMA0GCSqGSIlb3 DQEBAQUAA4IBDwAwggEKAoIBAQCChnoCJIC9jgx6zSgStQ1pQNmHW6a5P5qnG+nt3U
--	---

2EwD1mzzcXnpvVcoT/iPgIrJF6W6BUA2G8fUAFdo/ gsqu5keCYzQU0mgJV297V8jHqmHrnaHn1KYsFo6iLLtjNdMWIO3wFMzQJ0puF02sW36p Kpm9Yjl/ Y9q0A0qaCrIsCdSn8apan5DF5FkG+J1/22Kl+80EucfTOXjUeCBOqEYHNrpLz3+sOSpCHQ 0cbjvt1LHOidrDIMU2WjUtAVVidoEl0qxqXO2nLkYuvZ7QfY0NmAwjLQ8lSdtwFLPjHfu 4rYTemKFGC1/ FBNHBZkEj5gLbiTZ9pz18Lhgdy0wwDb744LAgMBAAGjgAwge0wHQYDVR0OBBYEF BnrwVvJtGcttceHxaLtHmz3yWjsMB8GA1UdIwQYMBaAFCgf7aj/ gI1TIJt1TD6AQYUNBuhOMEEGA1UdHwQ6MDgwNqA0oDKGMGZpbGU6Ly8vL1NwV y1QS0ktQVBQMDMvQ2VydEVucm9sbC9CT1RDQTItRlRtLmNybDBaBggrBgEFBQcBA QROMEwwSgYIKwYBBQUHMAKGPMZpbGU6Ly8vL1NwVy1QS0ktQVBQMDMvQ2V ydEVucm9sbC9TVlctUEtJLUFQUdAzX0JPVENBMi1GVFMuY3J0MAwGA1UdEwEB/ wQCMAAwDQYJKoZIhvcNAQELBQADggIBAGnsyMnhq/0Ygx9tVjlvqjQUg+0cVS/ LkpwXdwHb2R/LO5XaAkTKP/ IqpZRfradVHesfPIhgcyZN3RYUZhwlyoe5lXhIUC2UFQCrjHCBzODg9I6iEYxh0J4uPCa50c eUaIj8Hf3L4NCS9WEGlY5v3WP3oKkuwpjEmTzP9QngX7nONhANo0O9mN78uzxoMGTK tSemyE1ppBd3uLgx8QhFYXV8dhmbzK8ki4lJ4cMP2nerkVxwKHZmPMM5QuQuQJW2H7 2pcVyo6hkfT4qw6Th9R11BkMox/ J1NVwJbazeZcp36Nl8qzDCa8xBnHSexGhJr2RYU5fBKFDJD+pwKyho3dpjOynyEsiLD69v
--

```

ac9HbuZzd3s7I8hxjYTkEfcX80Q3qT4GMJrcQtIS3QHA++wgDyXY8MDS+y5ra9znFI3Fe/
q0rD6mprVQlY8LH76sjW2sbPhZcZT6JTXG2aDsm6ZGHyyK7EKRXKtWrxIvE9YDfuVle
DN/
gocTq7eiNmDAvQjzn+eKJL6nmJ5B6V53ck2clAjUV7KhnxDItpstFxmPwWxeZOBZqlW
vApHJiHOBByuqjgxUFPyDaLXCzECDjo/
IPDUOFvOz3GWEyc8clUSEdQKe3khlhSY6RIErKJIDYJfpaT4PHw6UgWYP+D2fWseX8/
K1jm/7ZPsbJnjD5lWAXDLNU</X509Certificate>
    </X509Data>
  </KeyInfo>
</Signature>
</Sgntr>
</AppHdr>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pacs.009.001.08">
  <FICdtTrf>
    <GrpHdr>
      <MsgId>ABCD202504089000390006</MsgId>
      <CreDtTm>2025-04-08T14:44:22+03:00</CreDtTm>
      <NbOfTx>1</NbOfTx>
      <StlmInf>

```

	<pre> <SttlmMtd>CLRG</SttlmMtd> <ClrSys> <Cd>TIS</Cd> </ClrSys> </SttlmInf> </GrpHdr> <CdtTrfTxInf> <PmtId> <InstrId>ABCDR92025040800390006</InstrId> <EndToEndId>ABCDR92025040800390006</EndToEndId> <TxId>ABCDR92025040800390006</TxId> <UETR>598393ba-6542-4596-8ba9-7eb1970a67e7</UETR> </PmtId> <PmtTpInf> <InstrPrty>HIGH</InstrPrty> <LclInstrm> <Prtry>RTGSFIToFICredit</Prtry> </LclInstrm> <CtgyPurp> </pre>
--	--

	<Cd>OTHR</Cd> </CtgyPurp> </PmtTpInf> <IntrBkSttlmAmt Ccy="TZS">56666.00</IntrBkSttlmAmt> <IntrBkSttlmDt>2024-04-02</IntrBkSttlmDt> <InstgAgt> <FinInstnId> <BICFI>ABCDTZTX</BICFI> </FinInstnId> </InstgAgt> <InstdAgt> <FinInstnId> <BICFI>ABCDTZTX</BICFI> </FinInstnId> </InstdAgt> <Dbtr> <FinInstnId> <BICFI>ABCDTZTX</BICFI> </FinInstnId>
--	---

	<pre> </Dbtr> <Cdtr> <FinInstnId> <BICFI>ABCDTZTX</BICFI> </FinInstnId> </Cdtr> <Purp> <Cd>CASH</Cd> </Purp> </CdtTrfTxInf> </FICdtTrf> </Document> </Body> </DataPDU> </pre>
admi.004	<pre> <?xml version="1.0" encoding="UTF-8"?> <DataPDU xmlns="urn:swift:saa:xsd:saa.2.0"> </pre>

	<pre><Revision>2.0.11</Revision> <Header> <Message> <SenderReference>TANZ202505219002323606</SenderReference> <MessageIdentifier>admi.004.001.02</MessageIdentifier> <Format>MX</Format> <Sender> <DN>o=tanztzta,o=swift</DN> <FullName> <X1>TANZTZTAXXX</X1> </FullName> </Sender> <Receiver> <DN>o=abcdtztz,o=swift</DN> <FullName> <X1>ABCDTZTXXXX</X1> </FullName> </Receiver> <InterfaceInfo></pre>
--	--

	<pre> <UserReference>TANZ202505219002323606</UserReference> </InterfaceInfo> <NetworkInfo> <Priority>Normal</Priority> <Service>tanz.rtgs!p</Service> <Network>SWIFTNet</Network> <SWIFTNetNetworkInfo> <RequestType>admi.004.001.02</RequestType> <RequestSubtype>swift.iap.01</RequestSubtype> </SWIFTNetNetworkInfo> </NetworkInfo> </Message> </Header> <Body> <AppHdr xmlns="urn:iso:std:iso:20022:tech:xsd:head.001.001.02"> <Fr> <FIId> <FinInstnId> <BICFI>TANZTZTA</BICFI> </pre>
--	--

	<EvtParam>20250520TZSOFB</EvtParam> <EvtDesc>Authorization xUTIxnzZovJZ_fYnQLyVH5B3H7KmpMhs</EvtDesc> <EvtTm>2025-05-21T11:35:38+03:00</EvtTm> </EvtInf> </SysEvtNtfctn> </Document> </Body> </DataPDU> Token:
--	---

Table 5: MX sample messages (pacs.008/pacs.009/admi.004).